



SIRECLED
INTELLIGENT LIGHTING SYSTEMS

High Bay Luminaires



ERIS

CERT: CE,CB,EMC,LVD,ENEC
IP65 – IK08
POWER RANGE (W): 80 / 120 / 150 / 200



H18 A/B/C/D/E

CERT: CB,EMC,LVD,ENEC
IP66 - IK08
POWER RANGE (W): 75* /100 /120 /
150 / 200 / 240



HB17

CERT: CE,CB,EMC,LVD,ENEC
IP65 – IK08
POWER RANGE (W): 450 / 600



EOS

CERT: CE,CB,EMC,LVD,ENEC
IP65 – IK08
POWER RANGE (W): 80 / 100 / 120 /
150 / 200 / 240



HB42 VENUS

CERT: CE,CB,EMC,LVD
IP66 – IK09
POWER RANGE (W): 100 /120 / 150 / 200



WINMORE

CERT: CE,EMC,LVD, RoHS
IP66 – IK10
POWER RANGE (W): 100 / 120 / 150 / 200

Floodlights – Sports lights



ZOOM

CERT: CE,CB,EMC,LVD,RoHS,ENEC
IP66 – IK10
POWER RANGE (W): 30W – 400W



FL08

CERT: CE,CB,EMC,LVD,RoHS,ENEC
IP66 – IK08
POWER RANGE (W): 40W – 240W



FL57 BORA

CERT: CE,CB,EMC,LVD, RoHS,ENEC
IP66 – IK08
POWER RANGE (W): 50W – 300W



TG120

CERT: CE,EMC,LVD,ENEC
IP66 – IK08
POWER RANGE (W): 25W – 75W



TERRA

CERT: CE,EMC,LVD,RoHS
IP66 – IK08
POWER RANGE (W): 50W – 300W



OFL

CERT: CE,EMC,LVD, RoHS
IP65 – IK07
POWER RANGE (W): 50W – 200W



TG211


CERT: CE,EMC,LVD,ENEC
IP66 – IK09
POWER RANGE (W): 25W – 100W

Floodlights – Sports lights



FL04

CERT: CE,CB,EMC,LVD,RoHS,ENEC
IP66 – IK08
POWER RANGE (W): 500W – 1500W



FL2.5

CERT: CE,CB,EMC,ENEC
IP66 – IK08
POWER RANGE (W): 300W – 1200W




FL09 GLOMAX

CERT: CE,CB,EMC,LVD,RoHS,ENEC
IP66 – IK10
POWER RANGE (W): 250W – 1800W



SP02

CERT: CE,CB,EMC,LVD,RoHS,ENEC
IP66 – IK08
POWER RANGE (W): 600W – 1800W



SP04

CERT: CE,CB,EMC,LVD,RoHS,ENEC
IP66 – IK08
POWER RANGE (W): 400W – 1800W



SP09

CERT: EMC,LVD,RoHS,ENEC(UNDER APPLICATION)
IP 66 – IK08
POWER RANGE (W): 250W – 1800W

Streetlight Luminaires



AERAS

CERT: CE,EMC,LVD,RoHS,ENEC, ENEC+
IP66 – IK09/IK10
POWER RANGE (W): 15W – 280W




RIFLE

CERT: CE,CB,EMC,LVD,RoHS,ENEC,ENEC+
IP66 – IK10
POWER RANGE (W): 20W – 240W



ST33

CERT: CE,CB,EMC,LVD,RoHS,ENEC
IP66 – IK09/10
POWER RANGE (W): 15W – 210W



ST36

CERT: CE,CB,EMC,LVD,RoHS,ENEC
IP66 – IK09/10
POWER RANGE (W): 15W – 230W



ST53

CERT: CE,CB,EMC,LVD,RoHS,ENEC
IP66 – IK09/10
POWER RANGE (W): 20W – 180W

Streetlight Luminaires



D221S

CERT: CE, EMC,LVD,ENEC
IP66 – IK08
POWER RANGE (W): 40W – 75W



D120

CERT: CE,CB,EMC,LVD,ENEC
IP66 – IK09
POWER RANGE (W): 25W – 180W



ST53

CERT: CE,CB,EMC,LVD,RoHS,ENEC
IP66 – IK09
POWER RANGE (W): 480W – 720W



PHAETHON

CERT: CE,EMC,LVD,RoHS,ENEC
IP66 – IK08
POWER RANGE (W): 7W – 25W



GAIA

CERT: CE,EMC,LVD
IP65 – IK10
POWER RANGE (W): 20W



ANAX

CERT: CE,EMC,LVD
IP66 – IK09
POWER RANGE (W): 15-50W

Streetlight Luminaires



PHAEAX

CERT: CE, EMC,LVD
IP65 – IK08
POWER RANGE (W): 15W – 50W



PYROS

CERT: CE,CB,EMC,LVD,ENEC
IP65 – IK09
POWER RANGE (W): 15W – 50W



ATLAS

CERT: CE,CB,EMC,LVD,ENEC
IP65 – IK09
POWER RANGE (W): 30W – 75W



D202

CERT: CE,CB,EMC,LVD,ENEC
IP66 – IK09
POWER RANGE (W): 30W – 150W

Urban lights – Post top luminaires



OASIS

CERT: CE,EMC,LVD,RoHS,ENEC,ENEC+
IP66 – IK10
POWER RANGE (W): 40-120W*



ST40

CERT: CE,CB,EMC,LVD,RoHS,ENEC
IP66 – IK08
POWER RANGE (W): 30-75W

Urban lights – Post top luminaires



SAHARA

CERT: CE,CB,EMC,LVD,RoHS,ENEC
IP66 – IK09
POWER RANGE (W): 20-60W



UST03

CERT: CE,CB,EMC,LVD,RoHS
IP66 – IK08
POWER RANGE (W): 40-100W



ST38

CERT: CE,CB,EMC,LVD,ENEC
IP66 – IK08
POWER RANGE (W): 40-100W



AEOLOS

CERT: CE,CB,EMC,LVD,ENEC
IP65 – IK09
POWER RANGE (W): 30-75W



AELIA

CERT: CE,CB,EMC,LVD,ENEC
IP66 – IK09
POWER RANGE (W): 30-100W



T191

CERT: CE,CB,EMC,LVD,ENEC
IP66 – IK08
POWER RANGE (W): 40-75W

Urban lights – Post top luminaires



T190

CERT: CE,CB,EMC,LVD,ENEC
IP66 – IK08
POWER RANGE (W): 30-60W




T101

CERT: CE,CB,EMC,LVD,ENEC
IP66 – IK09
POWER RANGE (W): 50W



KRONOS

CERT: CE,CB,EMC,LVD,ENEC
IP66 – IK09
POWER RANGE (W): 150-360W



KALYPSO

CERT: CE,CB,EMC,LVD,ENEC
IP66 – IK08
POWER RANGE (W): 40-240W

Garden lights – Bollards




ASTERIA

CERT: CE
IP66 – IK09
POWER RANGE (W): 15W



C190

CERT: CE
IP66 – IK09
POWER RANGE (W): 12W



C13

CERT: CE
IP66 – IK09
POWER RANGE (W): 12W



C14

CERT: CE
IP66 – IK09
POWER RANGE (W): 30-75W



HELIKE

CERT: CE
IP66 – IK09
POWER RANGE (W): 10-25W



C142

CERT: CE
IP66 – IK09
POWER RANGE (W): 3-12W

Garden lights – Bollards



C162

CERT: CE
IP66 – IK09
POWER RANGE (W): 15-30W



C12

CERT: CE
IP66 – IK09
POWER RANGE (W): 12-18W



FERONIA

CERT: CE,CB,EMC,LVD,ROHS
IP66 – IK10
POWER RANGE (W): 14W/24W



POMONA

CERT: CE,CB,EMC,LVD,RoHS
IP66 – IK10
POWER RANGE (W): 15W / 25W



BL03

CERT: CE,CB,EMC,LVD,RoHS,**ENEC**
IP66 – IK10
POWER RANGE (W): 14W /25W

Garden lights – Bollards



TG215

CERT: CE,EMC,LVD,ENEC
IP66 – IK09
POWER RANGE (W): 15-75W



TG213

CERT: CE,EMC,LVD,ENEC
IP66 – IK09
POWER RANGE (W): 35-75W



TG13

CERT: CE,EMC,LVD,ENEC
IP66 – IK09
POWER RANGE (W): 15W/25W



BL02

CERT: CE,CB,EMC,LVD,ENEC
IP66 – IK09
POWER RANGE (W): 9-25W



N01

CERT: CE,CB,EMC,LVD,ENEC
IP66 – IK08
POWER RANGE (W): 6W /18W /40W

Solar lights



AERAS SOLAR

CERT: CE,EMC,LVD,RoHS,ENEC, ENEC+
IP66 – IK09/IK10
POWER RANGE (W): 15W – 280W



KALYPSO SOLAR

CERT: CE,CB,EMC,LVD,ENEC
IP66 – IK08
POWER RANGE (W): 40-240W



FERONIA SOLAR

CERT: CE,CB,EMC,LVD,ROHS
IP66 – IK10
POWER RANGE (W): 14W/24W



T191 SOLAR


CERT: CE,CB,EMC,LVD,ENEC
IP66 – IK08
POWER RANGE (W): 40-75W

Inground lights



M01

CERT: CE,EMC,LVD,ENEC
IP67 – IK09
POWER RANGE (W): 1-2W



M16

CERT: CE,EMC,LVD,ENEC
IP67 – IK09
POWER RANGE (W): 2W



M02


CERT: CE,EMC,LVD,ENEC
IP68 – IK10
POWER RANGE (W): 40-60W




M03/M4/M5/M6/M7

CERT: CE,CB,EMC,LVD,ENEC
IP68 – IK10
POWER RANGE (W): 3-60W


Wall washers



CERT: CE,EMC,LVD,ENEC
IP66 – IK09
POWER RANGE (W): 12W /36W /60W




CERT: CE,EMC,LVD,ENEC
IP67 – IK10
POWER RANGE (W): 16W /32W /65W




CERT: CE,EMC,LVD,ENEC
IP67 – IK09
POWER RANGE (W): 30W /75W /100W

Tunnel lights



TN02

CERT: CE,CB,EMC,LVD,RoHS,ENEC
IP66 – IK09
POWER RANGE (W): 60-150W



TN03

CERT: CE,RoHS
IP66 – IK08
POWER RANGE (W): up to150W



TFL

CERT: CE,EMC,LVD,ROHS,ENEC
IP66 – IK09
POWER RANGE (W): 30W-280W

Tri proof lights



Smart tri proof light V1

CERT: CE,EMC,LVD,RoHS,ENEC
IP66 – IK10
POWER RANGE (W): 18W /34W/ 50W



Golden tri proof light

CERT: CE,CB,EMC,LVD,RoHS
IP66 – IK10
POWER RANGE (W): 12-18W

Canopy lights



CN01

CERT: CE,CB,ENEC

IP66 – IK10

POWER RANGE (W): 80-150W



BL02

CERT: CE,RoHS

IP66/IP22 – IK08

POWER RANGE (W): 100 / 120 /150W



SGL

CERT: CE,EMC,LVD,ENEC,ENEC+

IP66 – IK08

POWER RANGE (W): 50-200W




CP01

CERT: CE,RoHS

IP65 – IK08

POWER RANGE (W): 75 / 100 /120W

Explosion proof lights



VICTORY

CERT: CE,ATEX,IECEX
IP66 – IK10
POWER RANGE (W): 30 - 70W



SPARKLE

CERT: CE,ATEX,IECEX
IP66 – IK08
POWER RANGE (W): 150-240W



HA05

CERT: CE,ATEX,IECEX
IP66 – IK08
POWER RANGE (W): 30-240W



HA06

CERT: CE,ATEX,IECEX
IP66 – IK08
POWER RANGE (W): 30-100W



CN01

CERT: CE,CB,ENEC
IP66 – IK10
POWER RANGE (W): 80-150W

Panel lights



HELIOS

CERT: CB,EMC,LVD,ENEC
IP44
6060 / 6262 / 30120 / 60120



BPL01


CERT: CB,EMC,LVD,RoHS,ENEC
IP20
6060 / 6262 / 30120 / 60120



TRITON

CERT: CE,EMC,LVD,ROHS
IP65
6060 / 30120

Linear lights



PONTUS 44 CEILING / PENDANT / RECESSED / TRIMLESS / DARK

CERT: CE,EMC,LVD,ENEC
IP44/IP65
POWER RANGE (W): 4-230W



T191

CERT: CE,CB,EMC,LVD,ENEC
IP20
POWER RANGE (W): 3-15W

Downlights



D31/D32

CERT: CB,CB,EMC,LVD,RoHS,REACH
IP44



D9

CERT: CE,CB
IP20 / IP54 / IP65



DF02

CERT: CE,CB,EMC,LVD,ENEC
IP20
POWER RANGE (W): 5-30W



DF04

CERT: CE,CB,EMC,LVD,ENEC
IP40
POWER RANGE (W): 7-30W



DF12

CERT: CE,CB,EMC,LVD,ENEC
IP54
POWER RANGE (W): 4-30W



CETO

CERT: CE,CB,EMC,LVD,ENEC
IP20
POWER RANGE (W): 7-20W

Downlights



DS22

CERT: CB,CB,EMC,LVD,RoHS,ENEC
IP20
POWER RANGE (W): 5-25W



DORIS

CERT: CE,CB EMC,LVD,RoHS,ENEC
IP65
POWER RANGE (W): 12-30W



DS10

CERT: CE,CB,EMC,LVD,ROHS,ENEC
IP20
POWER RANGE (W): 5-25W



DS17

CERT: CE,CB,EMC,LVD,ROHS,ENEC
IP20
POWER RANGE (W): 7-30W



DS04

CERT: CE,CB,EMC,LVD,ENEC
IP20
POWER RANGE (W): 12W

Downlights



OREAD

CERT: CB,CB,EMC,LVD,RoHS,ENEC
IP20
POWER RANGE (W): 12-35W



DS02

CERT: CE,CB,EMC,LVD,ROHS,ENEC
IP20
POWER RANGE (W): 3-18W



NERRISA DOUBLE

CERT: CB,CB,EMC,LVD,RoHS,ENEC
IP20
POWER RANGE (W): 2x5W-2x30W



DS26

CERT: CE,CB,EMC,LVD,ENEC
IP20
POWER RANGE (W): 7-20W



DS16

CERT: CE,CB,EMC,LVD,ENEC
IP20
POWER RANGE (W): 2x7W-2x30W



DF44

CERT: CE,CB,EMC,LVD,ROHS,ENEC
IP44
POWER RANGE (W): 6-12W



Sirecled Hellas

Πρωτομαγιάς 13, Κρυονέρι 14 568

T: (+30) 210 6220080

F: (+30) 210 6220082

info@sirecled.com

